

## **DECLARATION OF PERFORMANCE**

According to Regulation (EU) No.305/2011 No. GAGA001/7

### **INGUNIT T**

 $\epsilon$ 

 Unique identification code of the product-type: GAGA001

2. Intended use/uses:

According to EN 934-5:T2, alkaline set accelerating admixture for sprayed concrete

3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorised representative:

1

5. System or systems of AVCP:

System 2+

6a. Harmonised standard:

EN 934-5:2007

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued Certificate of conformity of the factory production control.



#### 7. Declared performances:

Essential Characteristics	Performance	tech	Harmonised technical specification	
Chloride ion content	≤ 0,1% by mass			
Alkali content	≤ 25,0% by mass	6		
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1	934-5:2009	2007	
Compressive strength	At 28 days: test mix ≥ 75 % of control mix At 90 days: test mix ≥ test mix at 28 days	EN 934	l 934-5:2007	
Setting time	Initial setting time ≤ 10 min	MKC	Ш	
	Final setting time ≤ 60 min	≥		
Dangerous substances	No performance determined			

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

General Manager

Zoran Petrovski, arch.eng.

Skopje, 20.10.2023



# **CE MARKING**

Annex to DoP No.GAGA001/7

 $\epsilon$ 

2032

ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia

14

GAGA001/7

EN 934-5:2007

**INGUNIT T** 

Alkaline set accelerating admixture for sprayed concrete

EN 934-5:T2

Chloride ion content ≤ 0,1% by mass

Alkali content ≤ 25,0% by mass

Corrosion behaviour Contains components only from EN 934-1:2008,

Annex A.1

Compressive strength At 28 days: test mix ≥ 75 % of control mix

At 90 days: test mix ≥ test mix at 28 days

Setting time Initial setting time ≤ 10 min

Final setting time ≤ 60 min

Dangerous substances No performance determined

#### ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS). **NOTE** 

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.