



DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011
No. GKFJ0XX/5

HIDROFAS 2



1. Unique identification code of the product-type:
GKFJ0XX
EN 15824:ZA.1, decorative external render with uniform texture based on organic binder
2. Intended use/uses:
This product is used in residential and commercial buildings for decorative and protective finish of exterior surfaces
3. Manufacturer:
ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
4. Authorised representative:
/
5. System or systems of AVCP:
System 4
- 6a. Harmonised standard:
EN 15824:2009
- Notified body:
/

DECLARATION OF PERFORMANCE



7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Water vapour permeability	V ₂ medium	MKC EN 15824:2010	EN 15824:2009
Water absorption	W ₂ medium		
Adhesion	≥ 0.3 MPa		
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m ² ·h ^{0.5})		
Thermal conductivity	No performance determined		
Reaction to fire	Class F		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

General Manager,

Zoran Petrovski

Skopje, 03.11.2023



CE MARKING

Annex to DoP No.GKFJ0XX/5

DECLARATION OF PERFORMANCE

CE	
<p>ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia 15 GKFJ0XX/5 EN 15824:2009 HIDROFAS 2 Decorative external render with uniform texture</p>	
Water vapour permeability	V₂ medium
Water absorption	W₂ medium
Adhesion	≥ 0.3 MPa
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m²·h^{0.5})
Thermal conductivity	No performance determined
Reaction to fire	Class F

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.