

Page 1 of 10

SDS no. 055/4

Printing date: Revision: 16.04.2015 09.06.2015

Trade name: Antikorozin E - B component

#### 1.Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Trade name:
 Antikorozin E - B component

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Two-component, anti-corrosive, epoxy resin-based coating for protection of steel surfaces

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 ADING AD, Novoselski pat (1409 Str.) No. 11

1060 Skopje, Republic of Macedonia ++389 2 2034-800

++389 2 2034-800 +389 2 2034-821, 2034-822 +389 2 2034-850, 2034-853

1.4 Emergency telephone number

Emergency telephone number: Toxicology Information Centre

+389 2 3147-635

## 2. Hazards identification

#### 2.1 Classification of the substance or mixture

In accordance with the Rulebook on Classification, Labelling and Packaging of Chemicals and Certain Products in line with UN's Globally Harmonised System of Classification and Labelling of Chemicals (Official Gazette of the Republic of Macedonia no. 145/10, 53/11 and 164/13)

2.1.1 Classification: According to Regulation 1272/2008 (CLP)



GHS07

H315- Causes skin irritation (Hazard category 2)

H317- May cause an allergic skin reaction (Hazard category 1)



GHS02

H226- Flammable liquid and vapour (Hazard category 3)



Page 2 of 10

SDS no. 055/4

Printing date: 09.06.2015

Revision: 16.04.2015

## Trade name: Antikorozin E - B component



H318- Causes serious eye damage (Hazard category 1)

#### 2.2. Label elements

Hazard pictogram:







Signal word:

H- Hazard statements:

H226- Flammable liquid and vapour H317- May cause an allergic skin reaction

H315- Causes skin irritation

H318- Causes serious eye damage

P- Precautionary statements:

P101- If medical advice is needed, have product container or

label at hand

P102- Keep out of reach of children P103- Read label before use

P210- Keep away from heat/sparks/open flames/hot surfaces. —

No smoking

P241- Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P310- Immediately call a POISON CENTER or doctor/physician. P501- Dispose of contents/container as hazardous waste.

According to Directive 67/548/EEC

Classification: R20/21- Harmful by inhalation and in contact with skin. R- Risk statements:

R10- Flammable

R36/38- Irritating to eyes and skin S2- Keep out of the reach of children

S- Safety statements: S27/28- After contact with skin, take off immediately all

contaminated clothing, and wash immediately with plenty of

water. S26- In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S16- Keep away from sources of ignition. No smoking. S60- This material and its container must be disposed of as

hazardous waste. S45- In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

S46- If swallowed, seek medical advice immediately and show

this container or label.



Page 3 of 10

SDS no. 055/4

Safety Data Sheet according to 1272/2008/EC

Printing date: 09.06.2015

Revision: 16.04.2015

Trade name: Antikorozin E - B component

2.3 Other hazards

PBT: Not applicable vPvB: Not applicable PBT and vPvB results:

## 3. Composition/information on ingredients

3.1 Substances Not applicable

3.2 Mixtures

Chemical characterization: Hardener for epoxy resin, modified phenalkamide

Dangerous components: m-phenylenebis (methylamine) GHS07 Acute toxicity (Hazard category 4), H302; Harmful if inhaled (Hazard category 4), H332; Skin sensitivity (Hazard category 1), H317; Chronic toxicity for water organisms (Hazard category 3), H412

Xn R 20/22, Xi R43, R52/53 CAS: 1477-55-0 2-5% EINECS: 216-032-5 GHSO5 Corrosive to skin 1B H314 C, R34 Xylene GHS07 Skin irritation (Hazard category 2), H315; Harmful in contact with skin (Hazard category 4), H312; Harmful if inhaled (Hazard category 4), H332 CAS: 1330-20-7 EINECS: 215-535-7 18-21% GHSO2 Flammable liquid and vapour (Hazard category 3), H226, 2, 4, 6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 ~1,5% EINECS:202-013-9 GHSO7 Skin irritation (Hazard category 2), H315; Acute toxicity (Hazard category 4), H302; Eye irritation (Hazard category 2), H319

Commented [U1]: phenalkamine???



Page 4 of 10

SDS no. 055/4

Printing date: Revision: 16.04.2015 09.06.2015

Trade name: Antikorozin E - B component

## 4. First aid measures

4.1 Description of first aid measures

After skin contact:

After swallowing:

Immediately remove contaminated clothing and call a physician if General information:

symptoms of poisoning develop.
Remove the person to fresh air. If the person stops breathing, After inhalation: give mouth-to-mouth resuscitation. If unconscious, place in a

position comfortable for breathing and get medical attention. . Wash immediately with plenty of water and soap. Remove contaminated clothing. Get medical attention if irritation persists

After eye contact: Rinse eyes under running water for several minutes with the

eyelids held wide open. Remove contact lenses, if present. If symptoms persist, seek medical advice.

Rinse mouth continuously with water. If irritation persists or recurs, seek medical attention.

4.2 Information for doctor

Most important symptoms

and effects, both acute and No relevant additional information available. delayed

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special treatment needed

No relevant additional information available.

## 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing Carbon dioxide, dry powder or water spray for fighting larger media:

5.2 Special hazards arising from the substance or mixture

Special hazards arising from the substance or

mixture:

Do not extinguish with water as it may lead to spreading the fire.

5.3 Advice for firefighters

Protective equipment: Wear suitable protective clothing and breathing apparatus.



Page 5 of 10

SDS no. 055/4

Printing date: Revision: 16.04.2015 09.06.2015

Trade name: Antikorozin E - B component

## 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing and keep unprotected persons · Personal precautions:

away. Ensure appropriate ventilation and avoid breathing

vapours.

6.2 Environmental precautions

Do not allow the material to enter soil/sewage system, surface • Environmental precautions:

water. Inform the competent authorities in case of spillage into

the sewage system.

6.3 Methods and material for containment

and cleaning up

The contaminated material must be disposed of according to the relevant rules on disposal. Methods for cleaning up:

Absorb spillage with suitable absorbent material (diatomaceous

earth, sand, acid-binding agents, etc.) Ensure appropriate

ventilation in the room.

## 7. Handling and storage

## 7.1 Precautions for safe handling

Precautions for safe

handling:

Ensure appropriate ventilation in the area where this material is handled and avoid contact of the material with skin and eyes.

Precautions against fire

and explosion:

Keep away from fire, sparks and other heated surfaces as this material is flammable.

7.2 Conditions for safe storage, including

any incompatibilities

Conditions for storerooms

and vessels:

Store in a dry, well-ventilated area, in well-sealed containers

suitable for storage.

7.3 Specific end use(s)

Specific storage

conditions

No relevant additional information available.



Page 6 of 10

SDS no. 055/4

Printing date: 09.06.2015 Revision: 16.04.2015

Trade name: Antikorozin E - B component

## 8.Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Xylene
Limit value concentration 15 min. for 100ppm
- 221 mg/m³
Limit value concentration 8h for 50 ppm- 442 mg/m³

Additional information: No additional information.

8.2 Exposure controls and personal

protection

Exposure controls Ensure ventilation in the area of use. Avoid contact with skin and

eyes. Remove contaminated clothing.

Personal protective

equipment

Use appropriate respiratory mask in case of prolonged exposure.

Respiratory protection: Protective gloves. It is recommended to use gloves made of multi-layer material (PE/EVON) Hand protection:

Safety glasses. Eye protection:

Wear suitable protective clothing. Skin protection:



Printing date:

09.06.2015

Safety Data Sheet according to 1272/2008/EC Page 7 of 10

SDS no. 055/4

Revision: 16.04.2015

Trade name: Antikorozin E - B component

## 9.Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance:

Form: Liquid Colour: Honey-like Odour Specific Odour threshold Amine-like pH at t=25°C 10.5

Melting point No information available.

Boiling point > 66°C Flash point 32 °C

Evaporation rate No information available. Flammability (solid, gas) Upper/lower flammability or No information available. No information available. explosive limits No information available. Vapour pressure Vapour density No information available.

Relative density 0.96-1.02 g/cm<sup>3</sup> Solubility Insoluble in water

Partition coefficient: noctanol/water at 25°C

No information available. Auto-ignition temperature No information available. Decomposition temperature No information available.

Viscosity 4500 cps

Explosive properties No information available. Oxidising properties No information available.

## 10. Stability and reactivity

### 10.1 Reactivity

No information available.

## 10.2 Chemical stability:

Stable under normal temperature and pressure.

## 10.3 Possibility of hazardous reactions:

No thermal decomposition if used according to specifications.

## 10.4 Conditions to avoid:

No relevant information available.
 10.5 Incompatible materials:

# No relevant information available. 10.6 Hazardous decomposition products:

No additional information.



Page 8 of 10

SDS no. 055/4

Printing date: Revision: 16.04.2015 09.06.2015

Trade name: Antikorozin E - B component

## 11. Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:		
Xylene 1330-20-7		
Oral	LD50-	4300 mg/kg (rat)
Dermal	LD50-	2000 mg/kg (rabbit)
m-phenylenebis (methylamine) 1477-55-0		
Oral	LD50-	1040 mg/kg (rat)
Inhalation -	LC50/4h	2.4 mg/l (rat)

Primary irritant effect

on the skin Corrosive effect on skin. Causes strong corrosive effect. on the eye Sensitization: May cause sensitisation by skin contact.

## 12. Ecological information

#### 12.1 Toxicity:

## 12.1.1 Aquatic toxicity:

Toxic.

No relevant information available.

## 12.2 Persistence and degradability:

Not readily biodegradable.

## 12.3 Bioaccumulative potential:

No relevant information available.

## 12.4 Mobility in soil:

No relevant information available.

## 12.5 Results of PBT and vPvB assessment:

No relevant information available.

## 12.6 Other adverse effects:

• No relevant information available.

## 13. Disposal considerations

#### 13.1 Waste treatment methods

Product waste should be treated in accordance with the Law on Waste Management (Official Gazette of the Republic of Macedonia no. 100/2005, 2/2011, 123/2012, 147/2013), whereas used packaging should be treated in accordance with the Law on Management of Packaging and Packaging Waste (Official Gazette of the Republic of Macedonia no. 161/2001, 136/2011, 39/2012)

• Recommendation: May not be disposed of together with household waste. Do not

allow the material to enter the sewage system.

Uncleaned packaging

Empty the packaging carefully. The packaging of this material Recommendation:

should be treated as hazardous waste in line with local

regulations.



Page 9 of 10

SDS no. 055/4

Revision: 16.04.2015

Printing date: 09.06.2015

Trade name: Antikorozin E - B component

## 14. Transport information

#### 14.1 UN number

ADR, ADN, IMGD, IATA- 1866

## 14.2 UN proper shipping name

ADR, ADN, IMGD, IATA- Environmentally hazardous substance

#### 14.3 Transport hazard class

ADR, ADN, IMGD, IATA-3-Miscellaneous hazardous materials

14.4 Packing group

• ADR, ADN, IMGD, IATA-Ш

#### 14.5 Environmental hazards

- Hazardous
- ADR
- IATA

#### 14.6 Special precautions for user

- Kempler code-33
- Warning hazardous material

## 14.7 Transport in bulk

## 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Law on Health and Safety at Work (Official Gazette of the Republic of Macedonia no. 92/2007, 137/2013, 164/2013, 158/2014); Law on Chemicals (Official Gazette of the Republic of Macedonia no. 145/2010, 53/2011, 164/2013); Law on Environment (Official Gazette of the Republic of Macedonia no. 53/2005, 24/2007, 93/2013). Rulebook amending the Rulebook on the Form and Contents of the Application Form for Obtaining Permit for Import, Export and Transport of Toxic Chemicals and Their Precursors for Purposes Not Prohibited (Official Gazette of the Republic of Macedonia no. 291/2014); Rulebook on Specific Requirements for the Legal Persons Trading in Dangerous Chemicals (Official Gazette of the Republic of Macedonia no. 132/2008); Rulebook on Labelling and Packaging of Dangerous Chemicals (Official Gazette of the Republic of Macedonia no. 85/2009); Rulebook on Hazardous Substances, Threshold Limit Values of Hazardous Substances and Criteria or Properties for Classifying Substances as Hazardous (Official Gazette of the Republic of Macedonia no. 25/2010); List of Prohibitions and Restrictions in the Use of Chemicals (Official Gazette of the Republic of Macedonia no. 57/2011); Rulebook on Chemical Safety Assessment and Contents of the Chemical Safety Report (Official Gazette of the Republic of Macedonia no. 82/2011); List of Polluting Materials and Substances (Official Gazette of the Republic of Macedonia no. 122/2011); Law on Chemicals (Official Gazette of the Republic of Macedonia no. 31/2014); Rulebook amending the Rulebook on the Form and Contents of the Application Form for Obtaining Permit for Import, Export and Transit of Toxic Chemicals and Their Precursors for Purposes Not Prohibited (Official Gazette of the Republic of Macedonia no. 192/2014).

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture.



Page 10 of 10

SDS no. 055/4

Revision: 16.04.2015

Printing date: 09.06.2015

Trade name: Antikorozin E - B component

## 16. Other information

Reason for issue: New format

This Safety Data Sheet summarises to the best of our knowledge the health and safety hazard information on the product. Each user should read this Safety Data Sheet and consider the information in the context of how the product should be handled and used, as well as how it should be stored, transported and disposed of. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. This information relates only to the specific product and may not be valid if the product is used in combination with any other material. All the information contained in this Safety Data Sheet is true and up-to-date.

#### Relevant labels

#### H-statements

H226- Flammable liquid and vapour

H317- May cause an allergic skin reaction

H315- Causes skin irritation H318- Causes serious eye damage

#### P-statements

P101- If medical advice is needed, have product container or label at hand

P102- Keep out of reach of children

P103- Read label before use

P210- Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P241- Use explosion-proof electrical/ventilating/lighting/.../equipment.

 ${\sf P305+P351+P338-IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact\ lenses,\ if\ partial particles and the particles are also become an experimental particles are also become an experimental particles are also become an experimental particles and the particles are also become an experimental particles are also become a$ present and easy to do. Continue rinsing.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P310- Immediately call a POISON CENTER or doctor/physician.

P501- Dispose of contents/container as hazardous waste.

## R-statements

R20/21- Harmful by inhalation and in contact with skin.

R10- Flammable

R36/38- Irritating to eyes and skin

## S-statements

S2- Keep out of the reach of children

S27/28- After contact with skin, take off immediately all contaminated lothing, and wash immediately with plenty of water.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S16- Keep away from sources of ignition. No smoking.

S60- This material and its container must be disposed of as hazardous waste.

S45- In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).
S46- If swallowed, seek medical advice immediately and show this container or label.